MOLECULAR PHYSICS, 1995, VOL. 86, NO. 6, 1547–1553

Index of Authors

with the titles of papers

ALLEN, M. P., and MASON, C. P.: Stability of the nematic phase for the hard ellipsoid fluid, 467
ARRIGHINI, G. P., and GUIDOTTI, C.: The rotational partition function of diatomic molecules, 1299

BABA, M., *see* Ohtsuka, M.
BACSKAY, G. B., *see* Grimm, A. R.
BÁEZ, L. A., and CLANCY, P.: Calculation of free energy for molecular crystals by thermodynamic integration, 385
BAKÓ, I., *see* Jedlovszky, P.
BALDUS, M., *see* Levante, T. O.
BARANYAI, A., and CUMMINGS, P. T.: Self-diffusion in strongly driven flows: a non-equilibrium molecular dynamics study, 1307
BARKER, J. A.: Douglas Henderson: a life in statistical mechanics, 549
BAUDER, A., *see* Bettens, R. P. A.
BECK, T. L., *see* Liu, A.
BENCINI, A., PALII, A. V., OSTROVSKY, S. M., TSUKERBLAT, B. S., and UYTTERHOEVEN, M G.: Double-exchange interactions in the mixed-valence hexanuclear octahedral clusters $[Fe_6(\mu_3\text{–}X)_8(PEt_3)_6]^+$ (X = S, Se), 1085
BERTHAULT, P., *see* Desvaux, H.
BETTENS, R. P. A., SPYCHER, R. M., and BAUDER, A.: Intermolecular force field and approximate equilibrium structure of various complexes containing one or two rare gas atoms from microwave spectroscopic constants, 487
BHUIYAN, L. B., *see* Lanza Amaro, M.
BIRLIRAKIS, N., *see* Desvaux, H.
BLAZEJ, M., MARCH, N. H., and FLORES, F.: Polarization interaction in relation to structure of liquid metals, 951
BLOCKHUIS, E. M., SHILKROT, Y., and WIDOM, B.: Young's law with gravity, 891
BLUM, L., and VERICAT, F.: An analytical model of water with sticky spheres of tetrahedral symmetry, 809
BOWERS, J., *see* Clements, P. J.
BOYD, R. J., *see* Laaksonen, A.
BROCKLEHURST, B., *see* Clements, P. J.
BRODHOLT, J., SAMPOLI, M., and VALLAURI, R.: Parameterizing a polarizable intermolecular potential for water, 149

CACELLI, I., and RIZZO, A.: Structure and properties of fractional charge molecular systems: quark molecular hydrogen ions, 397
CALLAWAY, M. J., *see* Cleaver, D. J.
CARLILE, C. J., DURAND, R., FULLAGAR, W. K., REYNOLDS, P. A., TROUW, F., and WHITE, J. W.: Inelastic neutron scattering and superconductivity of $Rb_3C_{60}(NH_3)_x$, 19
CARNERO RUIZ, C.: A photophysical study of micellization of cetyltrimethylammonium bromide in urea–water binary mixtures, 535
CHAN, K.-Y., *see* Liem, S. Y.
CHAN, K.-Y., *see* Lo, W. L.
CHANG, J., *see* Tavares, F. W.
CHAPMAN, W. G., *see* Segura, C. J.
CHIEW, Y. C., *see* O'Lenick, R.
CLANCY, P., *see* Báez, L. A.
CLEAVER, D. J., CALLAWAY, M. J., FORESTER, T., SMITH, W., and TILDESLEY, D. J.: Computer modelling of the 4-n-alkyl-4′-cyanobiphenyls adsorbed on graphite: energy minimizations and molecular dynamics of periodic systems, 613

CLEMENTS, P. J., BOWERS, J., BROCKLEHURST, B., and MCLURE, I. A.: The near-critical microscopic viscosity of binary liquid mixtures: 2-butoxyethanol + water at the lower critical endpoint, 873
COROPCEANU, V. P., GUERRERO, M. E., and GAMURARI, V. IA.: Group theoretical classification of resonance states of mixed valence polynuclear clusters, 185
CORY, D. G., *see* Zhang, Y.
CSÁSZÁR, A. G., and HANDY, N. C.: On the form of the exact quantum mechanical vibrational kinetic energy operator for penta-atomic molecules in internal coordinates, 959
CUMMINGS, P. T., *see* Baranyai, A.

DAS, B., and GUPTA-BHAYA, P.: Calculation of shielded Coulomb potential in a mixture of multipoles, 1031
DAS, B., and GUPTA-BHAYA, P.: Hypernetted chain calculation of static correlation function of macroions in solution using Allnatt equation, 1397
DE BOER, E., *see* Zwanenburg, G.
DEBENEDETTI, P. G., *see* Speedy, R. J.
DEGRÈVE, L., and LOZADA-CASSOU, M.: Monte Carlo and HNC/MSA results for an asymmetrical electrolyte in an external electrical field of spherical geometry, 759
DEL RÍO, F., *see* Gil-Villegas, A.
DESVAUX, H., BIRLIRAKIS, N., WARY, C., and BERTHAULT, P.: Study of slow molecular motions in solution using off-resonance irradiation in homonuclear NMR. II. Fast chemical exchange processes, 1059
DESVAUX, H., WARY, C., BIRLIRAKIS, N., and BERTHAULT, P.: Study of slow molecular motions in solution using off-resonance irradiation in homonuclear NMR. I. Long dipolar correlation times, 1049
DONOHUE, M. D., *see* Kuespert, D. R.
DORE, J. C., *see* Jedlovszky, P.
DORNIC, I., and WIDOM, B.: Development of periodic order in disordered surfactant–solution phases, 675
DREIZLER, H., *see* Harder, H.
DURAND, R., FULLAGAR, W. K., LINDSELL, G., REYNOLDS, P. A., and WHITE, J. W.: X-ray and neutron powder diffraction from $Rb_3C_{60}(NH_3)_x$ and $Li_3C_{60}(NH_3)_x$, 1
DURAND, R., *see* Carlile, C. J.

EDWARDS, P. P., *see* Pyper, N. C.
EDWARDS, R. G., HENDERSON, J. R., and PINNING, R. L.: Simulation of self-assembly and lyotropic liquid crystal phases in model discotic solutions, 567
EL-YAZAL, J., *see* Martin, J. M. L.
ENEVOLDSEN, T., and ODDERSHEDE, J.: ^{19}F nuclear magnetic shielding tensor of CH_3F, 235
ERNST, R. R., *see* Levante, T. O.
ESSELINK, K., *see* Loyens, L. D. J. C.

FACELLI, J. C., GU, Z., and MCDERMOTT, A.: Carbon-13 chemical shift tensors of carboxylic acids: GIAO calculations in acetic acid + methylamine dimer, 865
FAWCETT, W. R.: The structure and dielectric properties of polar solvents, 715
FERNÁNDEZ-ALONSO, F., PELLENQ, R. J.-M., and NICHOLSON, D.: The role of three-body interactions in the adsorption of argon in silicalite-1, 1021
FERRARIO, M., KLEIN, M. L., and MCDONALD, I. R.: Cation transport in lithium sulphate based crystals, 923
FLORES, F., *see* Blazej, M.
FORESTER, T., *see* Cleaver, D. J.
FORSTMANN, F., *see* Vossen, M.
FRANÇOIS, J.-P., *see* Martin, J. M. L.
FULLAGAR, W. K., *see* Carlile, C. J.
FULLAGAR, W. K., *see* Durand, R.

GAMURARI, V. IA., *see* Coropceanu, R.
GARCÍA-COLÍN, L. S.: Extended irreversible thermodynamics: an unfinished task, 697
GEIGER, A., *see* Yakovenko, S. Ye.

GIL-VILLEGAS, A., VEGA, C., DEL RÍO, F., and MALIJEVSKY, A.: Structure of variable-width square-well fluids from the reference hypernetted chain equation, 857
GOLDMAN, M.: A simple formalism for the analysis of NMR in the presence of exchange, 301
GRASSI, A., LOMBARDO, G. M., MARCH, N. H., and PUCCI, R.: Scaling properties of correlation energies of homonuclear diatoms, 1229
GRIMM, A. R., BACSKAY, G. B., and HAYMET, A. D. J.: Quantum chemical studies of the solvation of the hydroxide ion, 369
GU, Z., *see* Facelli, J. C.
GUÀRDIA, E., *see* Martí, J.
GUBBINS, K. E., *see* Jiang, S.
GUERRERO, M. E., *see* Coropceanu, V. P.
GUIDOTTI, C., *see* Arrighini, G. P.
GUPTA-BHAYA, P., *see* Das, B.

HALL, C. K., *see* Zhou, Y.
HALSE, E. J., *see* Mackenzie, S. R.
HANDY, N. C., *see* Császár, A. G.
HARDER, H., DREIZLER, H., and PAPOUŠEK, D.: The direct *l*-type resonance spectrum of $CF_3\,^{35}Cl$ in its vibrational state $v_6 = 1$, 107
HAVENITH, M., *see* König, S.
HAYMET, A. D. J., *see* Grimm, A. R.
HEINZINGER, K., *see* Trokhymchuk, A. D.
HENDERSON D.: The misadventures of a NAFTA scientist: physics and phun in Canada, the United States, and Mexico, 551
HENDERSON, D., *see* Trokhymchuk, A.
HENDERSON, J. R., *see* Edwards, R. G.
HERRERA-PACHECO, J. N., and ROJAS-RODRÍGUEZ, J. F.: Contact force between hard spheres immersed in a sticky hard sphere solvent, 837
HILLS, B. P., *see* Snaar, J. E. M.
HILPERT, G., *see* König, S.
HIRST, D. M., *see* Kim, G.-S.
HOLOVKO, M. F., *see* Trokhymchuk, A. D.
HOLTZ, B., *see* Murad, S.
HOOVER, W. G., and KUM, O.: Non-equilibrium simulations, 685
HOWARD, B. J., *see* McKellar, A. R. W.
HØYE, J. S., and STELL, G.: Ferroelectric phase transition in simple dipolar systems, 707
HUANG, T.-H., and WANG, C.-H.: Vibrational quantum beats observed by Raman-induced optical Kerr effect, 1249

IDZIAK, S., *see* Medycki, W.
ISBISTER, D. J., KRISHNAN, M. S., and SANCTUARY, B. C.: Use of computer algebra for the study of quadrupole spin systems, 1517

JACKSON, G.: Foreword, 547
JACKSON, G., *see* Williamson, D. C.
JEDLOVSZKY, P., BAKÓ, I., PÁLINKÁS, G., and DORE, J. C.: Structural investigation of liquid formic acid. X-ray and neutron diffraction, and reverse Monte Carlo study, 87
JIANG, S., and GUBBINS, K. E.: Vapour–liquid equilibria in two-dimensional Lennard-Jones fluids: unperturbed and substrate-mediated films, 599

KATÔ, H., *see* Ohtsuka, M.
KIM, G.-S., and HIRST, D. M.: An *ab initio* study of the excited states of the molecular ions NF^+ and PCl^+, 1183
KLEIN, M. L., *see* Ferrario, M.
KOBUS, J., MONCRIEFF, D., and WILSON, S.: A comparison of finite basis set and finite difference Hartree–Fock calculations for the BF, AlF and GaF molecules, 1315
KOFKE, D. A., *see* Mehta, M.

KÖHLER, T., and MÄDER, H.: Measurement of speed dependent rotational relaxation rates using a microwave spectrometer with a circular waveguide. Studies on nitrous oxide, 287
KÖNIG, S., HILPERT, G., and HAVENITH, M.: Observation of strong Coriolis coupling in the infrared spectrum of Ar–CO, 1233
KRISHNAN, M. S., *see* Isbister, D. J.
KRÖMER, G., *see* Yakovenko, S. Ye.
KUESPERT, D. R., MURALIDHARAN, V., and DONOHUE, M. D.: Microstructure and phase behaviour of a mixed-dimer amphiphile, 201
KUM, O., *see* Hoover, W. G.

LAAKSONEN, A., WANG, J., and BOYD, R. J.: *Trans*-stilbene in methanol solution. On the effect of flexible atomic charges in computer simulations, 327
LANZA AMARO, M., BHUIYAN, L. B., and OUTHWAITE, C. W.: Micellar solutions with added salt. A Monte Carlo and modified Poisson–Boltzmann study, 725
LEIVA, E., *see* Schmickler, W.
LEVANTE, T. O., BALDUS, M., MEIER, B. H., and ERNST, R. R.: Formalized quantum mechanical Floquet theory and its application to sample spinning in nuclear magnetic resonance, 1195
LI, L., *see* Zhou, J.
LI, X. J., *see* O'Lenick, R.
LIEM, S. Y., and CHAN, K.-Y.: Effective pairwise potential for simulations of adsorbed platinum, 939
LINDSELL, G., *see* Durand, R.
LIU, A., and BECK, T. L.: Determination of excess Gibbs free energy of quantum mixtures by path integral Monte Carlo simulations, 225
LOMBARDO, G. M., *see* Grassi, A.
LOZADA-CASSOU, M., *see* Degrève, L.
LO, W. Y., and CHAN, K.-Y.: Non-neutrality in a charged capillary, 745
LOYENS, L. D. J. C., SMIT, B., and ESSELINK, K.: Parallel Gibbs-ensemble simulations, 171
LUKZEN, N. N., and STEINER, U. E.: Adiabatic transfer of net electron polarization to nuclear polarization, 1271
LYNDEN-BELL, R. M.: Landau free energy, Landau entropy, phase transitions and limits of metastability in an analytical model with a variable number of degrees of freedom, 1353

MCDERMOTT, A., *see* Facelli, J. C.
MCDONALD, I. R., *see* Ferrario, M.
MCKELLAR, A. R. W., WATSON, J. K. G., and HOWARD, B. J.: The NO dimer: ^{15}N isotopic infrared spectra, line-widths, and force field, 273
MCLURE, I. A., *see* Clements, P. J.
MA, B., YAMAGUCHI, Y., and SCHAEFER, III, H. F.: Spectroscopic constants and potential energy surfaces for the possible interstellar molecules AlNC and AlCN, 1331
MAAS, W. E., *see* Zhang, Y.
MACKENZIE, S. R., MERKT, F., HALSE, E. J., and SOFTLEY, T. P.: Rotational state selectivity in N_2^+ X $^2\Sigma_g^+$ ($v^+ = 0$) by delayed pulsed field ionization spectroscopy via the a'' $^1\Sigma_g^+$ ($v' = 0$) state, 1283
MÄDER, H., *see* Köhler, T.
MAESO, M. J., and SOLANA, J. R.: Equation of state for two-dimensional fluids with hard cyclic *n*-mer molecules, 1387
MALIJEVSKY, A., *see* Gil-Villegas, A.
MARCH, N. H., *see* Blazej, M.
MARCH, N. H., *see* Grassi, A.
MARTÍ, J., PADRÓ, J. A., and GUÀRDIA, E.: A molecular dynamics study of heavy water steam, 263
MARTIN, J. M. L., EL-YAZAL, J., and FRANÇOIS, J.-P.: Basis set convergence and performance of density functional theory including exact exchange contributions for geometries and harmonic frequencies, 1437
MASON, C. P., *see* Allen, M. P.
MEDYCKI, W., and IDZIAK, S.: A study of classical and quantum dynamics of protons in polycrystalline 2,5-dinitrobenzoic acid, 257

MEHTA, M., and KOFKE, D. A.: Molecular simulation in a pseudo grand canonical ensemble, 139
MEIER, B. H., *see* Levante, T. O.
MERKT, F., *see* Mackenzie, S. R.
MONCRIEFF, D., *see* Kobus, J.
MONSON, P. A.: The properties of inhomogeneous square-well mixtures in one dimension (Erratum), 1545
MURAD, S., POWLES, J. G., and HOLTZ, B.: Osmosis and reverse osmosis in solutions: Monte Carlo simulations and van der Waals one-fluid theory, 1473
MURALIDHARAN, V., *see* Kuespert, D. R.
MURAVSKI, A. A., *see* Yakovenko, S. Ye.
MURRAY, J. S., *see* Politzer, P.
MÜRTZ, P., THÜMMEL, H., PFELZER, C., and URBAN, W.: New bands of the MgO $A^1\Pi$–$X^1\Sigma^+$ and a $^3\Pi_{0,1}$–$X^1\Sigma^+$ systems by Faraday laser magnetic resonance, 513

NICHOLSON, D., *see* Fernández-Alonso, F.
NICKLASS, A., and STOLL, H.: On the importance of core polarization in heavy post-d elements: a pseudopotential calibration study for X_2H_6(X = Si, Ge, Sn, Pb), 317

ODDERSHEDE, J., *see* Enevoldsen, T
OHTSUKA, M., OKADA, K., KATÔ, H., and BABA, M.: Stark effect of the 15V 31 344·9 band of CS_2 studied by sub-Doppler high-resolution spectroscopy, 1213
OKADA, K., *see* Ohtsuka, M.
OKADA, T.: The structure of the V centre produced by KrCl excimer laser irradiation of KI crystals at low temperatures, 1075
O'LENICK, E., LI, X. J., and CHIEW, Y. C.: Correlation functions of hard-sphere chain mixtures: integral equation theory and simulation results, 1123
OSTROVSKY, S. M., *see* Bencini, A.
OUTHWAITE, C. W., *see* Lanza Amaro, M.

PADRÓ J. A., *see* Martí, J.
PALII, A. V., *see* Bencini, A.
PÁLINKÁS, G., *see* Jedlovszky, P.
PAPOUŠEK, D., *see* Harder, H.
PELLENQ, R. J.-M., *see* Fernández-Alonso, F.
PERCUS, J. K., *see* Sebold, J. H.
PERRY, J. C., *see* Rowley, R. L.
PFELZER, C., *see* Mürtz, P.
PIKE, C. G., *see* Pyper, N. C.
PINNING, R. L., *see* Edwards, R. G.
PIZIO, O., TROKHYMCHUK, A., and SOKOŁOWSKI, S.: Density profiles of a double square-well model of a chemically associating fluid near a hard wall, 649
PIZIO, O., *see* Trokhymchuk, A.
POLITZER, P., and MURRAY, J. S.: C—NO_2 dissociation energies and surface electrostatic potential maxima in relation to the impact sensitivities of some nitroheterocyclic molecules, 251
POPELIER, P., *see* Pyper, N. C.
POWLES, J. G., *see* Murad, S.
PUCCI, R., *see* Grassi, A.
PYPER, N. C., PIKE, C. G., POPELIER, P., and Edwards, P. P.: On the polarizabilities of the doubly charged ions of group IIB, 995

QUINTANA, J.: Inhomogeneous hard homonuclear molecules, 665

REISS, H., and SCHAAF, P.: Density fluctuations in random sequential adsorption based on mixing of configurational species, 901
REYNOLDS, P. A., *see* Carlile, C. J.
REYNOLDS, P. A., *see* Durand, R.
RIZZO, A., *see* Cacelli, I.

ROBLEDO, A., and VAREA, C.: Scaling properties of the capillary-wave model with interfacial bending rigidity, 879
ROJAS-RODRÍGUEZ, J. F., *see* Herrera-Pacheco, J. N.
ROSENFELD, Y.: Free-energy model for the inhomogeneous hard-body fluid: application of the Gauss–Bonnet theorem, 637
ROWLEY, R. L., SCHUCK, M. W., and PERRY, J. C.: A direct method for determination of chemical potential with molecular dynamics simulations. Part 2. Mixtures, 125

SAMPOLI, M., *see* Brodholt, J.
SANCTUARY, B. C., *see* Isbister, D. J.
SANDLER, S. I., *see* Tavares, F. W.
SCHAAF, P., *see* Reiss, H.
SCHAEFER, III, H. F., *see* Ma, B.
SCHMICKLER, W., and LEIVA, E.: The double layer at the interface between a simple metal and an aqueous solution, 737
SCHUCK, M. W., *see* Rowley, R. L.
SCHWERDTFEGER, P.: Spectroscopic properties for the $^1\Sigma^+$ ground state of AuCl. A scalar relativistic coupled cluster study, 359
SEBOLD, J. H., and PERCUS, J. K.: The usefulness of restrictions for variational ground state lower bounds of a simple quantum spin lattice, 907
SEGURA, C. J., and CHAPMAN, W. G.: Associating fluids with four bonding sites against solid surfaces: Monte Carlo simulations, 415
SHILKROT, Y., *see* Blokhuis, E. M.
SMENTEK, L.: Third-order theory of forced 4f → 5d two-photon transitions, 159
SMIT, B., *see* Loyens, L. D. J. C.
SMITH, E.: Fast moment methods for general potentials in molecular dynamics, 769
SMITH, S. W., *see* Zhou, Y.
SMITH, W., *see* Cleaver, D. J.
SNAAR, J. E. M., and HILLS, B. P.: Water proton relaxation studies of air–water distributions in beds of randomly packed monodisperse glass microspheres, 1137
SOFTLEY, T. P., *see* Mackenzie, S. R.
SOKOŁOWSKI, S., *see* Pizio, O.
SOKOŁOWSKI, S., *see* Trokhymchuk, A.
SOLANA, J. R., *see* Maeso, M. J.
SPEEDY, R. J., and DEBENEDETTI, P. G.: Persistence time for bonds in a tetravalent network fluid, 1375
SPYCHER, R. M., *see* Bettens, R. P. A.
STEINER, U. E., *see* Lukzen, N. N.
STELL, G., *see* Høye, J. S.
STELL, G., *see* Zhou, Y.
STOLL, H., *see* Nicklass, A.
STREKALOV, M. L.: Rotational relaxation and collisional energy transfer. Calculations based on a new fitting law, 39

TAVARES, F. W., CHANG, J., and SANDLER, S. I.: Equation of state for the square-well chain fluid based on the dimer version of Wertheim's perturbation theory, 1451
TAYLOR, M. P.: Configurational statistics for isolated square-well chain molecules: exact results for short chains, 73
TEMME, F. P.: Natural embedding of $\mathscr{A}_5 \equiv \mathscr{J}$ group in $SU(m \leqslant n) \times \mathscr{S}_{12}$ NMR spin algebras. II. Role of $\lambda\mathscr{S}_n$-module decompositions over $\{[\lambda']\}$ in determining $[^{11}B]_{12}(SU(4) \times \mathscr{S}_{12})$ aspects of $[^{11}BH]_{12}^{2-}$, $[^{11}B^2D]_{12}^{2-}$ exo-cage ions, 981
TEIXEIRA, P. I. C., and TELO DA GAMA, M. M.: A model nematic liquid crystal revisited: some new phase diagrams from density-functional theory, 1537
TELO DA GAMA, M. M., *see* Teixeira, P. I. C.
THÜMMEL, H., *see* Mürtz, P.
TILDESLEY, D. J., *see* Cleaver, D. J.
TOXVAERD, S., and VELASCO, E.: Phase-stability lines, spinodals and distribution functions for binary immiscible mixtures, 845

TRITT-GOC, J.: Motion of the water molecules and phase transitions in $Sr[Fe(CN)_5NO]*4H_2O$ studied by proton NMR, 193
TROKHYMCHUK, A., HENDERSON, D., and SOKOŁOWSKI, S.: The structure of an associating hard core Yukawa fluid near a hard wall, 1339
TROKHYMCHUK, A. D., HOLOVKO, M. F., and HEINZINGER, K.: Density and charge correlations in water, 797
TROKHYMCHUK, A., PIZIO, O., SOKOŁOWSKI, S., and HENDERSON, D.: Density profiles of chemically reacting fluids in slit-like pores: integral equation approach, 53
TROKHYMCHUK, A., *see* Pizio, O.
TROUW, F., *see* Carlile, C. J.
TSUKERBLAT, B. S., *see* Bencini, A.

URBAN, W., *see* Mürtz, P.
UYTTERHOEVEN, M. G., *see* Bencini, A.

VALLAURI, R., *see* Brodholt, J.
VAREA, C., *see* Robledo, A.
VEGA, C., *see* Gil-Villegas, A.
VELASCO, E., *see* Toxvaerd, S.
VERICAT, F., *see* Blum, L.
VOSSEN, M., and FORSTMANN, F.: Integral equation theory for the electrode–electrolyte interface with the central force water model. Results for an aqueous solution of sodium chloride, 1493

WANG, C.-H., *see* Huang, T.-H.
WANG, J., *see* Laaksonen, A.
WATSON, J. G. K., *see* McKellar, A. R. W.
WARY, C., *see* Desvaux, H.
WHEATLEY, R. J.: First-order Coulomb interaction energies for atoms and diatomic molecules, 443
WHITE, J. W., *see* Carlile, C. J.
WHITE, J. W., *see* Durand, R.
WIDOM, B., *see* Blokhuis, E. M.
WIDOM, B., *see* Dornic, I.
WILLIAMSON, D. C., and JACKSON, G.: Excluded volume for a pair of linear chains of tangent hard spheres with an arbitrary relative orientation, 819
WILSON, S., *see* Kobus, J.

YAKOVENKO, S. YE., MURAVSKI, A. A., KRÖMER, G., and GEIGER, A.: Molecular orientational motion in PCH5: computer simulations and models, 1099
YAMAGUCHI, Y., *see* Ma, B.
YE, C., *see* Zhou, J.
YOSHIMURA, Y.: Bond-number distribution of a solute molecule in the hard-sphere fluid, 1419

ZHANG, Y., MAAS, W. E., and CORY, D. G.: Analysis of homonuclear RF gradient NMR spectroscopy, 347
ZHOU, J., LI, L., and YE, C.: Application of the rotation operator approach to selective excitation of coupled spin systems by a shaped radiofrequency pulse, 1173
ZHOU, Y., HALL, C. K., and STELL, G.: Exact results for isolated sticky chains, 1485
ZHOU, Y., SMITH, S. W., and HALL, C. K.: Linear dependence on chain length for the thermodynamic properties of tangent hard-sphere chains, 1157
ZWANENBURG, G., and DE BOER, E.: Application of superspace symmetry to optical and magnetic resonance spectra of incommensurably modulated crystals, 475